



Approval body for construction products and types of construction

#### **Bautechnisches Prüfamt**

An institution established by the Federal and Laender Governments



### European Technical Assessment

### ETA-12/0093 of 10 November 2022

English translation prepared by DIBt - Original version in German language

#### **General Part**

Technical Assessment Body issuing the Deutsches Institut für Bautechnik **European Technical Assessment:** Trade name of the construction product IsoFux Rocket, IsoFux Rocket EVOlution Product family Plastic anchor for fixing of external thermal insulation to which the construction product belongs composite systems with rendering Manufacturer RANIT-Befestigungssysteme GmbH Lennestraße 3-5 45701 Herten DEUTSCHLAND Manufacturing plant RANIT-Befestigungssysteme GmbH Lennestraße 3-5 45701 Herten GERMANY This European Technical Assessment 23 pages including 3 annexes which form an integral part contains of this assessment This European Technical Assessment is EAD 330196-01-0604 edition 10/2017 issued in accordance with Regulation (EU) No 305/2011, on the basis of This version replaces ETA-12/0093 issued on 20 October 2020



#### European Technical Assessment ETA-12/0093 English translation prepared by DIBt

Page 2 of 23 | 10 November 2022

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.



European Technical Assessment ETA-12/0093 English translation prepared by DIBt

#### Specific Part

#### 1 Technical description of the product

The screwed-in anchor type IsoFux Rocket consists of a plastic sleeve made of polypropylene (virgin material), a plastic shaft with a plate and a cover cap made of polyamide (virgin material) and an accompanying specific screw of galvanised steel. For deep mounting of the anchor in the insulating material the IsoFux Rocket consists in addition of an accompanying insulation cover made of polystyrol or mineral wool. For mounting on the surface the anchor may in addition be combined with the anchor plates T90, T110 and T140. The anchor may also be combined with the anchor plate MW-Cup.

The screwed-in anchor type IsoFux Rocket EVOlution consists of a plastic sleeve and a sieve sleeve made of polyamide (virgin material) and an accompanying specific screw of galvanised steel.

The product description is given in Annex A.

# 2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the anchor is used in compliance with the specifications and conditions given in Annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the anchor of at least 25 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

#### 3 Performance of the product and references to the methods used for its assessment

#### 3.1 Safety and accessibility in use (BWR 4)

Essential characteristic	Performance	
Characteristic load bearing capacity		
- Characteristic resistance under tension load	See Annex C 1	
- Minimum edge distance and spacing	See Annex B 2	
Displacements	See Annex C 2	
Plate stiffness	See Annex C 3	

#### 3.2 Energy economy and heat retention (BWR 6)

Essential characteristic	Performance
Point thermal transmittance	See Annex C 3

# 4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with EAD No. 330196-01-0604, the applicable European legal act is: [97/463/EC].

The system to be applied is: 2+



#### European Technical Assessment ETA-12/0093 English translation prepared by DIBt

Page 4 of 23 | 10 November 2022

# 5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable European Assessment Document


Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited with Deutsches Institut für Bautechnik.

Issued in Berlin on 10 November 2022 by Deutsches Institut für Bautechnik

Dipl.-Ing. Beatrix Wittstock Head of Section *beglaubigt:* Ziegler


# Page 5 of European Technical Assessment ETA-12/0093 of 10 November 2022






# Page 6 of European Technical Assessment ETA-12/0093 of 10 November 2022






#### Page 7 of European Technical Assessment ETA-12/0093 of 10 November 2022





## Page 8 of European Technical Assessment ETA-12/0093 of 10 November 2022






# Page 9 of European Technical Assessment ETA-12/0093 of 10 November 2022

English translation prepared by DIBt





8.06.04-233/22

# Page 10 of European Technical Assessment ETA-12/0093 of 10 November 2022




	$L_{a,1}$	deep						_		
marking of	effective	anchor	ade den	th	$\Lambda$		Isol	Fux F	Rocke	et
								Ø60		
										3
Marking:		1/		: Pookot	1/					4
1 = Anchor type 2 = Brand name				: Rocket : IsoFux	V			ۣ ٷؖ۞ؖۊ ڐ	ABCDE	>
3 = Holder 4 = Base material g	aroup			: RANIT : ABCDE			5 1000			
5 = Minimum thick		nchoraç	ge depth				100		2	
h <sub>nom</sub>										
		//_		_//						
				$\square$		Ø80		Tx	40	
ר של	- marl	king of	effective	e anchorag	e depth					
h <sub>nom</sub>			long and	chor sleeve	е		alternati	ve long a	anchor	sleeve
							h <sub>ef</sub>			
h <sub>ef</sub>	narking	feffecti		orage dep	th	markin	g of effec	tive and	horage	depth
ו מו	1			orage dep				-	R <sub>d</sub>	
-		12, deep					ω			
							5777777	11 (//		
			1.							
					$\square$		_ <u>+</u>			
							<u> </u>		SOFU	X
	Is				 	Iternative	<u> </u>		<b>SOFU</b> O	
	I <sub>s</sub>				a S	Iternative	Head		<b>SOFU</b>	
	"s 	4,8				Iternative			SOFU	
Table A4: Dimens	ions					Iternative	ω		SOFU O zes ir	
Table A4: Dimens	ions	nchor			L <sub>a1</sub>		∞ L <sub>a2</sub>	Si	C zes ir	n mm /er
Table A4: Dimens	ions		sleeve		L <sub>a1</sub>	max L <sub>a1</sub>	C		O zes ir Cov R <sub>s</sub>	n mm /er R <sub>d</sub>
Table A4: Dimens	ions	nchor		© ∞ t tol max 10	L <sub>a1</sub>		∫¢∞ L <sub>a2</sub> min L <sub>a2</sub> ,	Si	C zes ir	n mm /er
Table A4: Dimens         Anchor type         IsoFux Rocket	ions d <sub>nom</sub>	nchor h <sub>ef</sub>	h <sub>nom</sub>		L <sub>a1</sub> min L <sub>a1,</sub> deep	max L <sub>a1</sub>	↓∞ L <sub>a2</sub> min L <sub>a2,</sub> deep	Si max L <sub>a2</sub>	O zes ir Cov R <sub>s</sub>	n mm /er R <sub>d</sub>
Table A4: Dimens         Anchor type         IsoFux Rocket         short anchor sleeve         long anchor sleeve         Evaluation of thickness	ions d <sub>nom</sub> 8 8 8 s of the i	nchor h <sub>ef</sub> 50 50 nsulatio	h <sub>nom</sub> 65 125 on h <sub>Dma</sub>	<b>10</b> <b>70</b> , IsoFux F	L <sub>a1</sub> min L <sub>a1,</sub> deep 135 215 Rocket w	max L <sub>a1</sub>	L <sub>a2</sub> min L <sub>a2</sub> , deep 82 162 anchor	Si max L <sub>a2</sub> 427 427 sleeve	O zes ir Cov R <sub>s</sub> 20	n mm /er R₀ 64
Table A4: Dimens         Anchor type         IsoFux Rocket         short anchor sleeve         long anchor sleeve         Evaluation of thickness         min L <sub>a1, deep</sub> - h nom - 30 +	ions $d_{nom}$ 8 8 s of the i $Rs = h_{r}$	nchor h <sub>ef</sub> 50 50 nsulatio	h <sub>nom</sub> 65 125 on h <sub>Dma</sub>	10 70 , IsoFux F L <sub>a1, deep</sub> = 1	∑ <u>L<sub>a1</sub></u> min L <sub>a1,</sub> deep <b>135</b> <b>215</b> Rocket w 55) 155	max L <sub>a1</sub>	$L_{a2}$ min $L_{a2}$ , deep <b>82</b> <b>162</b> anchor +20 = 80	Si max L <sub>a2</sub> 427 427 sleeve 0 (h <sub>Dmax</sub> )	O zes ir Cov R <sub>s</sub> 20	n mm /er R₀ 64
Table A4: Dimens         Anchor type         IsoFux Rocket         short anchor sleeve         long anchor sleeve         Evaluation of thickness         min L <sub>a1, deep</sub> - h nom - 30 +         Evaluation of thickness	ions $d_{nom}$ 8 8 s of the i $Rs = h_{r}$ s of the i	nchor h <sub>ef</sub> 50 50 nsulationax; e.g nsulationax	h <sub>nom</sub> 65 125 on h <sub>Dma</sub> g.: (min on h <sub>Dma</sub>	<b>10</b> <b>70</b> (IsoFux F L <sub>a1, deep</sub> = 1 (IsoFux F	L <sub>∎1</sub> min L <sub>∎1,</sub> deep <b>135</b> <b>215</b> Rocket w 55) 155 Rocket w	max L <sub>a1</sub> <b>480</b> <b>480</b> <i>i</i> th short -65 -30 - <i>i</i> th long a	$L_{a2}$ min $L_{a2}$ , deep <b>82</b> <b>162</b> anchor +20 = 80 anchor s	Si max L <sub>a2</sub> 427 427 sleeve 0 (h <sub>Dmax</sub> ) sleeve	O zes ir Cov R <sub>s</sub> 20 20	n mm /er R₀ 64
Table A4: Dimens         Anchor type         IsoFux Rocket         short anchor sleeve         long anchor sleeve         Evaluation of thickness         min L <sub>a1, deep</sub> - h nom - 30 - 4         Evaluation of thickness         min L <sub>a1, deep</sub> - h nom + 30	ions A $d_{nom}$ B B B B B B B B	nchor h <sub>ef</sub> 50 50 nsulation nsulation nsulation nsulation nsulation	h <sub>nom</sub> 65 125 on h <sub>Dma</sub> g.: (min g.: (mir	10 70 IsoFux F $L_{a1, deep} = 1$ IsoFux F $L_{a1, deep} = 1$		max L <sub>a1</sub> <b>480</b> <b>480</b> <i>i</i> th short -65 -30 - <i>i</i> th long a 5 -125 +3	$L_{a2}$ min $L_{a2}$ , deep <b>82</b> <b>162</b> anchor +20 = 80 anchor s	Si max L <sub>a2</sub> 427 427 sleeve 0 (h <sub>Dmax</sub> ) sleeve	O zes ir Cov R <sub>s</sub> 20 20	n mm /er R₀ 64
Table A4: Dimens         Anchor type         IsoFux Rocket         short anchor sleeve         long anchor sleeve         Evaluation of thickness         min L <sub>a1, deep</sub> - h nom - 30 +         Evaluation of thickness         min L <sub>a1, deep</sub> - h nom + 30         IsoFux Rocket	ions A $d_{nom}$ B B B B B B B B	nchor h <sub>ef</sub> 50 50 nsulation nsulation nsulation nsulation nsulation	h <sub>nom</sub> 65 125 on h <sub>Dma</sub> g.: (min g.: (mir	10 70 IsoFux F $L_{a1, deep} = 1$ IsoFux F $L_{a1, deep} = 1$		max L <sub>a1</sub> <b>480</b> <b>480</b> <i>i</i> th short -65 -30 - <i>i</i> th long a 5 -125 +3	$L_{a2}$ min $L_{a2}$ , deep <b>82</b> <b>162</b> anchor +20 = 80 anchor s	Si max L <sub>a2</sub> 427 427 5leeve 0 (h <sub>Dmax</sub> ) 5leeve 160 (h <sub>p</sub>	O zes ir Cov R <sub>s</sub> 20 20	n mm /er 64 64
Table A4: Dimens         Anchor type         IsoFux Rocket         short anchor sleeve         long anchor sleeve         Evaluation of thickness         min L <sub>a1, deep</sub> - h nom - 30 - 4         Evaluation of thickness         min L <sub>a1, deep</sub> - h nom + 30	ions ions A d <sub>nom</sub> 8 8 8 s of the i Rs = h <sub>c</sub> s of the i + Rs = h <sub>c</sub> s of the i + Rs = h <sub>c</sub>	nchor h <sub>ef</sub> 50 50 nsulation nsulatio	h <sub>nom</sub> 65 125 on h <sub>Dma</sub> g.: (min g.: (mir <b>ROCKE</b>	10 70 IsoFux F $L_{a1, deep} = 1$ IsoFux F $L_{a1, deep} = 1$		max L <sub>a1</sub> <b>480</b> <b>480</b> <i>i</i> th short -65 -30 - <i>i</i> th long a 5 -125 +3	$L_{a2}$ min $L_{a2}$ , deep <b>82</b> <b>162</b> anchor +20 = 80 anchor s	Si max L <sub>a2</sub> 427 427 5leeve 0 (h <sub>Dmax</sub> ) 5leeve 160 (h <sub>p</sub>	Cov Rs 20 20	n mm /er 64 64

# Page 11 of European Technical Assessment ETA-12/0093 of 10 November 2022

English translation prepared by DIBt






Components for deep mounting, dimensions



# **Table A6:** Maximum insulation thickness for mounting on the surface and deepmounting, classification of the lengths $L_{a1}$ , color coding of the cover caps


<b></b>	1	1		
mounting on the surface	deep mounting	min <b>L</b> <sub>a1,</sub>	$\max L_{a1}$	Cover cap
h <sub>⊳</sub> max	h <sub>p</sub> max	deep		Color
40	60	135	160	light beige
60	80	155	180	beige
80	100	175	200	yellow
100	120	195	220	green
120	140	215	240	white
140	160	235	260	orange
160	180	255	280	brown
180	200	275	300	blue
200	220	295	320	red
220	240	315	340	light grey
240	260	335	360	black
260	280	355	380	violet
280	300	375	400	dark grey
320	340	415	440	dark green
360	380	455	480	natural

#### Screw-in tool for IsoFux Rocket



# Page 13 of European Technical Assessment ETA-12/0093 of 10 November 2022







IsoFux Rocket EVOlution Drill 8 mm				
Designation	Material			
Anchor sleeve Color: grey	virgin Polypropylene (PP)			
Shaft with plate Color: grey or red	virgin Polyamid (PA)			
MW-CUP Cover cap	virgin Polyamid 6.0 GF virgin Polyamid 6.0 GF			
Additional plate T110, T140 Additional plate T 90 Color: grey, orange or red	Additional plate T110, T140virgin Polyamid 6.6Additional plate T 90virgin Polypropylene (PP)			
Special screw	Steel, electro galvanized 5 µm			
Insulation cover	Polystyrol PS20 Mineral wool Type HD			
EVOlution - Stick virgin Polyamid (PA)				
ISOFUX Rocket, IsoFux Ro Product description Materials, IsoFux Rocket EVOlution Dril IsoFux Rocket EVOlution screw-in tool,		Annex A 10		



#### Specifications of intended use

#### Anchorages subject to:

The anchor shall only be used for the transmission of wind suction loads and shall not be used for the transmission of dead loads of thermal insulation composite system.

#### **Base materials:**

- Compacted normal weight concrete without fibres (base material group A) according Annec C 1
- Solid masonry (base material group B) according Annex C 1 Lightweight aggregate concrete (base material group D) according to Annex C 1

- Hollow or perforated masonry (base material group C) according to Annex C 1
   Autoclaved aerated concrete (base material group E) according to Annex C 1
   For other base materials of the base material group A, B, C, D and E, the characteristic resistance of the anchor may be determined by job site tests according to EOTA Technical Report TR 051, Edition April 2018.

#### Application temperature range:

. 0°C to +40°C (maximmum short term temperature +40°C and maximum long term temperature +24°C)

#### **Design:**

- . The anchors are designed under the responsibility of an engineer experienced in anchorages and masonry work with the partial safety factors  $\gamma_{\rm M}$  = 2,0 and  $\gamma_{\rm F}$  = 1,5, if there are no other national regulations.
- Verifiable calculation notes and drawings shall be prepared taking account of the loads to be anchored. The position of the anchor shall be indicated on the design drawings.
- . Fasteners are only to be used for multiple fixing of thermal insulation composite system.

#### Installation:

- . Drilling method shall comply to Annex C 1
- Anchor installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters on the site.
- Ambient temperature during the installation of the anchor 0°C to +40°C
- Exposure to UV due to solar radiation of the anchor not protected by rendering < 6 weeks.

### IsoFux Rocket, IsoFux Rocket EVOlution

Intended use

Specification

Annex B 1




#### Table B1: Installation parameters

Anchor type	IsoFux	Rocket + IsoFux R	ocket EVOlution
Drill hole diameter		d <sub>0</sub> (mm) =	8
Cutting diameter of drill bit		d <sub>cut</sub> (mm) ≤	8,45
Depth of drill hole to deepest point			
Base material group : A B C		h <sub>1</sub> (mm) ≥	35
Base material group : D E		h <sub>1</sub> (mm) ≥	60
Effective anchorage depth			
Base material group : A B C		h <sub>ef</sub> (mm) ≥	25
Base material group : D E		h <sub>ef</sub> (mm) ≥	50

#### Table B2: Anchor distances and dimensions of members

Anchor type IsoF	Rocket + IsoFux Rocket EVOlution	
Minimum spacing	<b>S</b> <sub>min</sub> = [mm] 100	
Minimum edge distance	<b>C</b> <sub>min</sub> = [mm] 100	
Minimum thickness of concrete mem	ber <b>h</b> = [mm] 100	



### IsoFux Rocket, IsoFux Rocket EVOlution


#### Intended use

Installation parameters, minimum thickness, edge distance and spacing


Annex B 2

Page 17 of European Technical Assessment ETA-12/0093 of 10 November 2022











# Page 19 of European Technical Assessment ETA-12/0093 of 10 November 2022





# Page 20 of European Technical Assessment ETA-12/0093 of 10 November 2022







# **Table C1:** Characteristic resistance N<sub>Rk</sub> in [kN] to tension loads in concrete and masonry<br/>for a single anchor and minimum distances and dimensions

Anchor type IsoFux Rocket + IsoFux Rocket EVOlution						ution
Base material	Bulk density ρ		Minimum compressive strength f <sub>b</sub> [N/mm <sup>2</sup> ]	Remarks	Drill method	N <sub>Rk</sub> [kN]
Concrete C12/15 - C20/25 EN 206: 2013+A1:2016	<u> K</u> g/	/dm³]		Compacted normal weight concrete without fibres	Hammer	1,5
Concrete C50/60 EN 206: 2013+A1:2016				Compacted normal weight concrete without fibres	Hammer	1,5
Clay bricks Mz EN 771-1:2011+A1:2015	>	1,8	20	Cross-section reduced by vertical perforation up to 15%	Hammer	1,5
Sand-lime solid bricks KS EN 771-2:2011+A1:2015	<b>^</b>	1,8	12	Cross-section reduced by vertical perforation up to 15%	Hammer	1,5
Sand-lime perforated bricks KSL EN 771-2:2011+A1:2015	2	1,4	12	Cross-section reduced by vertical perforation more than 15%	Rotary drilling	1) 1,2
Vertically perforated clay bricks HLZ EN 771-1:2011+A1:2015	>	1,0	12	Cross-section reduced by vertical perforation for more than 15% and less than 50%	Rotary drilling	2) 0,75
Lightweight concrete solid bricks EN 771-3:2011+A1:2015	2	1,2	6	Proportion of hole up to 10% maximum extension of hole: length= 110mm; wide= 45 mm	Rotary drilling	0,4
Lightweight concrete hollow blocks Hbl EN 771-3:2011+A1:2015	2	1,2	6	<b>∠ → a</b> ≥50 mm	Rotary drilling	0,6
Autoclaved aerated concrete EN 771-4:2011+A1:2015	2	0,65	4	PP/PPE	Rotary drilling	1,2
Lightweight aggregate concrete LAC 6 EN 1520:2011 /EN 771-3:2011 +A1:2015	>	0,90	6		Hammer	0,9

1) The value applies only for outer web thicknesses ≥ 20 mm; otherwise the characteristic resistance shall be determined by job-site pull-out tests.

2) The value applies only for outer web thickness ≥14 mm; otherwise the characteristic resistance shall be determined by job-site pull-out tests.

IsoFux Rocket, IsoFux Rocket EVOlution

#### Performance

Characteristic resistance

Annex C 1

# Page 22 of European Technical Assessment ETA-12/0093 of 10 November 2022

English translation prepared by DIBt



#### Table C2: Displacements

Base material	Bulk density [kg/dm³]	Minimum compressive strength [N/mm²]	Tension load N [kN]	Displacements Δδ <sub>Ν</sub> [mm]
Concrete C12/15 - C50/60 EN 206:2013+A1:2016	≥ 1,8	20	0,50	0,3
Clay brick, Mz EN 771-1:2011+A1:2015	<b>≥</b> 1,8	20	0,50	0,3
Sand-lime solid brick, KS EN 771-2:2011+A1:2015	≥ 1,8	12	0,50	0,3
Vertically perforated sand-lime brick , KSL EN 771-2:2011+A1:2015	≥ 1,4	12	0,40	0,3
Vertically perforated clay brick, HLZ EN 771-1:2011+A1:2015	≥ 1,0	12	0,25	0,3
Lightweight concrete solid bricks, V EN 771-3:2011+A1:2015	<u>≥</u> 1,2	6	0,15	0,3
Lightweight concrete hollow blocks, Hbl EN 771-3:2011+A1:2015	≥ 1,2	6	0,20	0,3
Autoclaved aerated concrete, AAC EN 771-4:2011+A1:2015	<u>≥</u> 0,65	4	0,40	0,3
Lightweight aggregate concrete LAC 6 EN 1520 :2011 / EN 771-3:2011 +A1:2015	≥ 0,90	6	0,30	0,4

### IsoFux Rocket, IsoFux Rocket EVOlution

#### Performance

Displacements

Annex C 2



#### Table C3: Plate stiffness according EOTA Technical Report TR 026: May 2016

Anchor type	Diameter of the anchor plate [mm]	Load resistance of the anchor plate [kN]	Plate stiffness [kN/mm]
IsoFux Rocket 1)	60	2,5	1,1

1) IsoFux Rocket EVOlution without plate stiffness, load resistance of the anchor plate

Anchor type	Insulation thickness h <sub>⊳</sub> [mm]	point thermal transmittance <sup>χ</sup> [W/K]
IsoFux Rocket deep mounted	80 - 380	0,001
IsoFux Rocket flush mounted	60 - 360	0,002
IsoFux Rocket EVOlution 80 mm	100 - 400	0
IsoFux Rocket EVOlution 120 mm	140 - 400	0

IsoFux Rocket, Is	oFux Rocket EVOlution
-------------------	-----------------------

#### Performance

Plate stiffness and point thermal transmittance

Annex C 3